

Rec'd PCT/PTO 14 FEB 2005
PCT/GB 2003 / 0 0 3 2 1 3

10/524491

INVESTOR IN PEOPLE



PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 11 DEC 2003

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

H. Behan

Dated 29 July 2003

BEST AVAILABLE COPY



15AUG02 1741000-1 010109
P01/7700 0-00-0218906.6

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference
4/P32631GB

2. Patent application number
(The Pa) 0218906.6 14 AUG 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)
UNIVERSITY OF SURREY
GUILDFORD
SURREY GU2 7XH

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

UNITED KINGDOM

798512001

4. Title of the invention A WIRELESS COMMUNICATION SYSTEM AND A METHOD OF OPERATING A WIRELESS COMMUNICATION SYSTEM

5. Name of your agent (if you have one) MATHISEN, MACARA & CO
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode) THE COACH HOUSE
6-8 SWAKELEYS ROAD
ICKENHAM
UXBRIDGE UB10 8BZ

Patents ADP number (if you know it) 1073001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

c) any named applicant is a corporate body.

See note (d))

YES

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 5

Claim(s) 3

Abstract 1

Drawing(s) 1

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature
MATHISEN, MACARA & CO

Date
13 AUGUST 2002

12. Name and daytime telephone number of — person to contact in the United Kingdom
M W BIBBY
01895 678331

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) ~~If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.~~
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

A WIRELESS COMMUNICATION SYSTEM AND A METHOD OF OPERATING A WIRELESS COMMUNICATION SYSTEM

This invention relates to a wireless communication system and a method of operating a wireless communication system.

The invention concerns wireless communication systems having distributed antenna arrangements as may be deployed, for example, to provide coverage in an in-building environment, such as an office environment.

In order to enhance the capacity of an in-building distributed antenna arrangement it has been proposed that a time delay element be inserted between adjacent nodes created by individual antenna elements of the distributed antenna arrangement - see, for example, "A CDMA Distributed Antenna System for in-building personal communication service" by H.H. Xia et al, IEEE Journal on Selected Areas in Communications, Vol. 14, No. 4, pp 644-650, May 1996. Such delay reduces self interference or fading when antenna signals produced by different antenna elements are combined in the RAKE receiver of a mobile station. Typically, the delay must be greater than $1/B$, where B is the W-CDMA bandwidth, to enable the RAKE receiver to form a coherent combination of the antenna signals received from individual antenna elements of the distributed antenna arrangement.

Typically, a mobile station includes a RAKE receiver having only a small number of RAKE fingers (typically 3), and this gives rise to a problem when the distributed antenna arrangement has a greater number of antenna elements. In this case, the antenna signals received at the mobile station can create self interference instead of contributing to the desired signal.

With a view to alleviating the problem it is proposed to arrange the antenna elements of a distributed antenna arrangement in groups, with the antenna elements producing the strongest antenna signals at a mobile station being assigned to different groups.

According to one aspect of the invention there is provided a wireless communication system including a mobile station and a base station having a distributed antenna arrangement comprising a plurality of antenna elements for producing antenna signals across an area of coverage of the distributed antenna arrangement, wherein said antenna elements are arranged in groups, antenna elements producing the strongest antenna signals at the mobile station within at least part of said area of coverage are assigned to different said groups and antenna signals produced by the different groups of antenna elements are subjected to preset relative delays enabling the antenna signals to be combined substantially coherently in the mobile station.

In a preferred embodiment, said mobile station includes a RAKE receiver for combining the antenna signals, the RAKE receiver having N RAKE fingers, where N

is an integer equal to the number of said groups.

According to another aspect of the invention there is provided a method of operating a wireless communication system including a mobile station and a base station having a distributed antenna arrangement comprising a plurality of antenna elements for producing antenna signals across an area of coverage of the distributed antenna arrangement, the method including assigning antenna elements producing the strongest antenna signals at the mobile station, within at least part of said area of coverage, to different said groups, and subjecting antenna signals produced by the different groups of antenna elements to preset relative delays enabling the antenna signals to be combined substantially coherently in the mobile station.

An embodiment of the invention is now described, by way of example only, with reference to the sole figure of the drawings which shows a schematic representation of a wireless communication system having a distributed antenna arrangement of which the individual antenna elements are assigned to different groups with a view to reducing self interference of antenna signals received at a mobile station.

In this embodiment, the distributed antenna arrangement has six antenna elements (1-6). The antenna elements are arranged in three groups commensurate with the number of RAKE fingers in the RAKE receiver of a system mobile station (not shown in the drawing). Thus, antenna elements 1,4 form a first group, antenna elements 2,5 form

a second group and antenna elements 3,6 form a third group.

Antenna signals produced by antenna elements of the same group are all subjected to the same preset delay created by an associated delay line represented schematically by the elements DL in the drawing.

In this particular embodiment, the antenna signals produced by antenna elements 3,6 of the third group are subjected to a larger preset delay than the antenna signals produced by antenna elements 2,5 of the second group, and the antenna signals produced by antenna elements 1,4 of the first group are not subjected to any preset delay. In this way, antenna signals produced by the different groups of antenna elements are subjected to preset relative delays, typically greater than $1/B$, where B is the system bandwidth, and can be combined substantially coherently in the mobile station, without significant self interference.

The antenna elements producing the three strongest antenna signals are assigned to different groups. In this particular example, it is assumed that the mobile station is relatively close to antenna elements 1,2,3. Therefore, these antenna elements have the smallest path losses to the mobile station and produce the strongest antenna signals which are combined substantially coherently in the RAKE receiver of the mobile station due to the preset relative delays imposed on the antenna signals produced by the different groups of antenna elements. In view of this, it is likely that the remaining

antenna elements 4,5,6 of the groups will be located further away from the mobile station. These more distant antenna elements produce much weaker signals than the closer antenna elements 1,2,3 and so have no significant adverse impact on the coherence of antenna signals processed by the RAKE receiver in the mobile station.

Alternatively, the mobile station might be closer to antenna elements 4,5,6 which would then produce the strongest antenna signals. In this case, antenna elements 1,2,3 would be more distant, producing weaker antenna signals. Nevertheless, the composition of the three groups and their preset relative delays remain unchanged.

In general, there is a high probability that antenna elements assigned to different groups will produce the strongest antenna signals at all locations across the entire coverage area of the distributed antenna arrangement. However, it will be appreciated that for some distributed antenna arrangements there may be isolated regions within the coverage area for which this is not the case.

CLAIMS

1. A wireless communication system including a mobile station and a base station having a distributed antenna arrangement comprising a plurality of antenna elements for producing antenna signals across an area of coverage of the distributed antenna arrangement, wherein said antenna elements are arranged in groups, antenna elements producing the strongest antenna signals at the mobile station, within at least part of said area of coverage, are assigned to different said groups and antenna signals produced by the different groups of antenna elements are subjected to preset relative delays enabling the antenna signals to be combined substantially coherently in the mobile station.
 2. A wireless communication system as claimed in claim 1 wherein said mobile station includes a RAKE receiver having N RAKE fingers, where N is an integer equal to the number of said groups.
 3. A wireless communication system as claimed in claim 2 wherein N is 3.
 4. A wireless communication system as claimed in any one of claims 1 to 3 wherein antenna signals produced by the antenna elements of one of said groups are not subjected to any preset delay.
-


5. A wireless communication system as claimed in any one of claims 1 to 4 including at least one delay line, wherein the or each delay line subjects antenna signals produced by all the antenna elements of a respective group to the same preset delay.
6. A method of operating a wireless communication system including a mobile station and a base station having a distributed antenna arrangement comprising a plurality of antenna elements for producing antenna signals across an area of coverage of the distributed antenna arrangement, the method including assigning antenna elements producing the strongest antenna signals at the mobile station, within at least part of said area of coverage, to different said groups, and subjecting antenna signals produced by the different groups of antenna elements to preset relative delays enabling the antenna signals to be combined substantially coherently in the mobile station.
7. A method according to claim 6 wherein the antenna signals produced by the antenna elements of one of the groups are not subjected to any preset delay.
8. A wireless communication system substantially as herein described with reference to the accompanying drawing.
9. A method of operating a wireless communication system substantially as herein

described with reference to the accompanying drawing.

ABSTRACT**A WIRELESS COMMUNICATION SYSTEM AND A METHOD
OF OPERATING A WIRELESS COMMUNICATION SYSTEM**

A wireless communication system includes a distributed antenna arrangement having a plurality of antenna elements arranged in groups and at least one mobile station including a RAKE receiver for combining received antenna signals produced by the antenna elements. The antenna elements producing the strongest antenna signals are assigned to different groups and the antenna signal produced by the different groups of antenna elements are subjected to preset relative delays enabling the antenna signals to be coherently combined.

1/1





PCT Application
GB0303213



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ ~~BLURRED OR ILLEGIBLE TEXT OR DRAWING~~
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ ~~LINES OR MARKS ON ORIGINAL DOCUMENT~~
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.